



The Ridge of Gleannloch Farms
Supplement

RESIDENTIAL DESIGN GUIDELINES

Gleannloch Farms Community Association Inc

The Ridge of Gleannloch Farms Supplement to Residential Design Guidelines

In addition to the Residential Design Guidelines for Gleannloch Farms, these are "Village" specific requirements.

Typical lot sizes in The Ridge are 60' and 65'x115'

Certain lots will have golf course views and are required to have iron fences at the rear or side lot lines as appropriate.

Vegetation in this section is sparse. Landscape requirements are meant to provide a young-forested atmosphere.

Specifics for fencing and driveway locations are noted on the following pages.

FOREWORD

Gleannloch Farms is being developed as a master planned residential community. This document is presented as a minimum set of development guidelines and standards for Gleannloch Farms Section One - The Ridge. The intended use is to provide an understanding of responsibilities of the Developer and the Builder, to develop a framework to illustrate and define design objectives and requirements to create a unified, harmonious setting for divergent lifestyles and tastes inherent in a planned development.

These guidelines are supplemental to The Declaration of Covenants, Conditions and Restrictions, and are to be used by the Architectural Review Committee (ARC) in review of plans submitted, as required by builders. Non-compliance with these guidelines is grounds for disapproval of plans. These guidelines are also for use as a standard for future compliance to maintain the integrity of the community.

Illustrative examples and descriptions are meant to insure an orderly, well maintained sense of an attractive environment for the residents of Gleannloch Farms.

Gleannloch Farms is located in Northwest Harris County, Texas in the extra-territorial jurisdiction of the City of Houston. Rules and regulations of these entities supercede the residential guidelines.

SITE LAYOUT


Residential Driveway/Garage Placement for The Ridge of Gleannloch Farms

The following is a list by lot and block number dictating location of residential driveways and garages. Locations of driveways and garages have been determined for reasons of aesthetics, vehicular circulation and safety.

The designation of left, right or optional is determined by viewing the lot from the street right-of-way facing the lot. Side lot loading is not permitted. A variance request, in writing, may be considered for certain lots having frontage on two sides if the garage is set back from the right-of-way, twenty feet (20').


- Left Side: *Block 1* - lots 3, 4, 8, 13, 26, 49, 71, 82, 94, 106, 112, 119, 124, 129, 135
Block 2 - lots 1, 6
- Right Side: *Block 1* - lots 1, 5, 9, 14, 27, 63, 72, 83, 95, 107, 109, 113, 120, 130
Block 2 - lots 5, 11
- Optional: *Block 1* - lots 2, 6, 7, 10, 11, 12, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 64, 65, 66, 67, 68, 69, 70, 73, 74, 75, 76, 77, 78, 79, 80, 81, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 96, 97, 98, 99, 100, 101, 102, 103, 104, 105, 108, 109, 110, 111, 114, 115, 116, 117, 118, 121, 122, 123, 125, 126, 127, 128, 131, 132, 133, 134
Block 2 - lots 2, 3, 4, 7, 8, 9, 10
- Side lot loading: (variance request may be considered with 20' garage setback)
Block 1 - lots 8, 9, 71, 72, 94, 95, 124
Block 2 - lots 1, 5, 6, 11
- Side lot loading: (shall not be approved)
Block 1 - lots 1, 26, 27, 112, 113, 135
- Rear garages are not permitted:
Block 1 - lots 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62

AWAY FROM AMMENITY



LOTS SIDING ON GOLF COURSE

LAKE/GOLF COURSE



LOTS BACKING ON GOLF COURSE

SITE LAYOUT

Fencing • The Ridge of Gleannloch Farms

The developer shall be responsible for installing perimeter fencing including wood posts, rails and pickets, stone columns and iron fencing in all landscape reserves (except along golf course), and at the rear and sides of the following lots.

- Block 1 - lots 1, 2, 3, 4, 5, 13, 14, 120, 121, 122, 126, 127, 128, 129, 130, 131, 132, 133, 134, 135

The builder shall be responsible for installing perimeter fencing of wood posts, rails and pickets in a like manner for the following lots.

- Block 1 - lots 14, 15, 16, 17, 18, 19, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49

The builder shall be responsible for installing a 48" high iron fence on lots siding or backing the golf course for the following lots.

- Block 1 - lots 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 82, 83, 106, 107, 119, 120

A perpendicular 48" high iron fence shall extend from a minimum of 10' behind the front of the residence to the iron fence on the south property line. Side lot fencing on interior lots shall extend from the rear property line to a maximum distance of 10' behind the front of the residence.

All other interior, rear and side fencing shall be the responsibility of the builder. Wood fences in interior lots shall be constructed using alternating panels as illustrated.

LANDSCAPE

Minimum Residential Landscaping Requirements • Lots 65' Wide & Under

TREES

Two machine dug and 2 thirty gallon (30 gal.) container grown trees selected from the plant material list (preferred specimen trees) in the Landscape section of the Gleannloch Farms Residential Design Guidelines are required on lots 65' and under. It is recommended that at least one of the required trees be a loblolly pine or oak tree. The required trees must be a minimum of 4" caliper. When lots front or side on lake, open spaces or golf course, 2 additional trees are required in the rear or side. Pine trees are preferred, but other large trees of equal size, from the approved plant list, may be considered for variance approval by the ARC.

SHRUBS


Lots 65' wide and under require the planting of a minimum of 30 small one gallon shrubs and 15 large five gallon shrubs. A single row of foundation planting is not acceptable. A portion of a planting bed is to extend a minimum of 8'-0" from the house foundation.

Shrubs are to be arranged in tiers - larger species and 5 gal. Shrubs are to be placed at the rear of planting beds, smaller species and 1 gal. shrubs are to be planted on the front edge of planting beds. (Mulch all planting beds with 2" shredded pine bark.)

No gravel or rock of any size or color is permitted for use or substitution for shrubs, ground cover, mulch or grass lawns. Specimen boulders and stone borders are permitted.

All grass visible from the street is to be St. Augustine, (solid sod).

Plants used as minimum plant requirements shall be selected from the approved plant list.



Section Five
The Ridge of Gleannloch Farms
Supplement to Residential Design Guidelines

In addition to the Residential Design Guidelines for Gleannloch Farms, these are “Village” specific requirements.

Typical lot sizes in The Ridge are 60’ x 115’ and 65’ x 115’.

Certain lots will have golf course views and are required to have iron fencing at the rear or side lot lines as appropriate.

Several lots in this section are wooded, while others are not. Landscape requirements are meant to provide a lush, uniform look throughout the section.

Specifics for fencing and driveway location are noted in the following pages.

FOREWORD

Gleannloch Farms is being developed as a master planned residential community. This document is presented as a minimum set of development guidelines and standards for Gleannloch Farms Section Five - The Ridge. The intended use is to provide an understanding of responsibilities of the Developer and the Builder, to develop a framework to illustrate and define design objectives and requirements to create a unified, harmonious setting for divergent lifestyles and tastes inherent in a planned development.

These guidelines are supplemental to The Declaration of Covenants, Conditions and Restrictions, and are to be used by the Architectural Review Committee (ARC) in review of plans submitted, as required by builders. Non-compliance with these guidelines is grounds for disapproval of plans. These guidelines are also for use as a standard for future compliance to maintain the integrity of the community.

Illustrative examples and descriptions are meant to insure an orderly, well maintained sense of an attractive environment for the residents of Gleannloch Farms.

Gleannloch Farms is located in Northwest Harris County, Texas in the extra-territorial jurisdiction of the City of Houston. Rules and regulations of these entities supercede the residential guidelines.

SITE LAYOUT

Residential Driveway/Garage Placement for Section Five – The Ridge of Gleannloch Farms

The following is a list by lot and block number dictating location of residential driveways and garages. Locations of driveways and garages have been determined for reasons of aesthetics, vehicular circulation and safety.

The designation of left, right or optional is determined by viewing the lot from the street right-of-way facing the lot. Side lot loading is not permitted. A variance request, in writing, may be considered for certain lots having frontage on two sides if the garage is set back from the right-of-way, twenty feet (20').

Left Side: *Block 1* - lots 1, 14, 28, 40, 51
 Block 2 - lot 12


Right Side: *Block 1* - lots 13, 27, 39, 50, 72
 Block 2 - lot 1

Optional: *Block 1* - lots 2, 3, 4, 5, 6, 7, 8, 9, 10,
 11, 12, 15, 16, 17, 18, 19, 20, 21, 22,
 23, 24, 25, 26, 29, 30, 31, 32, 33, 34,
 35, 36, 37, 38, 41, 42, 43, 44, 45, 46,
 47, 48, 49
 Block 2 - lots 2, 3, 4, 5, 6, 7, 8, 9, 10,
 11

****Side lot loading is not permitted in this section.**


Rear garages are not permitted on the following lots:

Block 1 - lots 57, 58, 59, 60, 61, 62,
63, 64



LOTS SIDING ON GOLF COURSE

LAKE/GOLF COURSE



LOTS BACKING ON GOLF COURSE

SITE LAYOUT

Fencing • The Ridge of Gleannloch Farms

The developer shall be responsible for installing perimeter fencing including wood posts, rails and pickets, stone columns and iron fencing in all landscape reserves (except along golf course), and at the rear and sides of the following lots.

Block 1 - lots 1, 2, 3, 4 (west side only), 64, 65, 66, 67, 68, 69, 70, 71, 72

Block 2 - lots 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12

The builder shall be responsible for installing perimeter fencing of wood posts, rails and pickets in a like manner for the following lots.

Block 1 - lots 4 (south side only), 5, 6, 13, 14, 20, 21, 22, 27, 28, 33, 34, 39, 40, 44, 45, 46, 50, 51, 56, 57 (south side only)

The builder shall be responsible for installing a 48" high iron fence on the following lots.

Block 1 - lots 57, 58, 59, 60, 61, 62, 63, 64

A perpendicular 48" high iron fence shall extend from a minimum of 10' behind the front of the residence to the iron fence on the south property line. Side lot fencing on interior lots shall extend from the rear property line to a maximum distance of 10' behind the front of the residence.

All other interior, rear and side fencing shall be the responsibility of the builder. Wood fences in interior lots shall be constructed using alternating panels as illustrated.

LANDSCAPE

Minimum Residential Landscaping Requirements • Lots 65' Wide & Under

TREES

Two machine dug and 2 thirty gallon (30 gal.) container grown trees selected from the plant material list (preferred specimen trees) in the Landscape section of the Gleannloch Farms Residential Design Guidelines are required on lots 65' and under. It is recommended that at least one of the required trees be a loblolly pine or oak tree. The required trees must be a minimum of 4" caliper. When lots front or side on lake, open spaces or golf course, 2 additional trees are required in the rear or side. Pine trees are preferred, but other large trees of equal size, from the approved plant list, may be considered for variance approval by the ARC.

SHRUBS


Lots 65' wide and under require the planting of a minimum of 30 small one gallon shrubs and 15 large five gallon shrubs. A single row of foundation planting is not acceptable. A portion of a planting bed is to extend a minimum of 8'-0" from the house foundation.

Shrubs are to be arranged in tiers - larger species and 5 gal. shrubs are to be placed at the rear of planting beds, smaller species and 1 gal. shrubs are to be planted on the front edge of planting beds. (Mulch all planting beds with 2" shredded pine bark.)

No gravel or rock of any size or color is permitted for use or substitution for shrubs, ground cover, mulch or grass lawns. Specimen boulders and stone borders are permitted.

All grass visible from the street is to be St. Augustine, (solid sod).

Plants used as minimum plant requirements shall be selected from the approved plant list.



LANDSCAPE

Minimum Residential Landscaping Requirements • Lots 70' - 75' Wide

TREES

Three machine dug and two thirty gallon (30 gal.) container grown trees selected from the plant material list (preferred specimen trees) in the Landscape section of the Gleannloch Farms Residential Guidelines are required on lots 70' - 75' wide. It is recommended that at least one of the required trees be a loblolly pine or oak tree. The required trees must be a minimum of 4" caliper. When lots front and side on two streets, there shall be an additional three trees for side yard. Lots adjoining golf course, lakes or open spaces require two additional trees in rear or side yard. Pine trees are preferred, but other large trees of equal size from the approved plant list, may be considered for variances by the ARC.

SHRUBS


Lots 70'-75' wide require the planting of a minimum of 40 small one gallon shrubs and 20 large five gallon shrubs.

Planting beds are to be curvilinear with the shrubs massed in tiers - smaller shrubs in the front of the bed. Groupings of shrubs of the same species provide a substantial look. A single row of foundation planting is not acceptable. Radius beds 10' minimum from building and vary widths of beds. Mulch all beds with 2" shredded pine bark.

No gravel or rock of any size or color is permitted for use or substitution for shrubs, ground cover, mulch or grass lawns. Specimen boulders and stone borders are permitted.

All grass visible from the street is to be St. Augustine, (solid sod).

Plants used as minimum requirements shall be selected from the approved plant list.



LANDSCAPE

Minimum Residential Landscaping requirements •
Lots 80' Wide & Over

TREES

Three machine dug and two thirty gallon (30 gal.) container grown trees selected from the plant material list (preferred specimen trees) in the Landscape section of the Gleannloch Farms Residential Design Guidelines are required on lots 80' wide and over. It is recommended that at least one of the required trees be a loblolly pine or oak tree. The required trees must be a minimum of 4" caliper. When lots front and side on two streets, there shall be an additional three trees for side yard. Lots adjoining golf course, lakes or open spaces require three additional trees in rear or side yard. Pine trees are preferred, but other large trees of equal size from the approved plant list, may be considered for variances by the ARC.

SHRUBS

Lots 80' wide and over require the planting of a minimum of 60 small one gallon shrubs and 30 large five gallon shrubs.

Planting beds are to be curvilinear with the shrubs massed in tiers - smaller shrubs in the front of the bed. Groupings of shrubs of the same species provide a substantial look. A single row of foundation planting is not acceptable. Radius beds 10' minimum from building and vary widths of beds. Mulch all beds with 2" shredded pine bark.

No gravel or rock of any size or color is permitted for use or substitution for shrubs, ground cover, mulch or grass lawns. Specimen boulders and stone borders are permitted.

All grass visible from the street is to be St. Augustine, (solid sod).

Plants used as minimum requirements shall be selected from the approved plant list.

